

TAKE-OFF SHEET

PANELS

Castle Rock Panel dimensions are 15¼" x 43¼" x 1½". Each Panel covers 4.03/sq. ft.

Configure Square Footage of area to be covered. (length x width)

Total Square Feet _____ / 4.03sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of four (4) panels per box.

Random Rock Panel dimensions are 15½" x 48" x 1½". Each Panel covers 4.75/sq. ft.

Configure Square Footage of area to be covered. (length x width)

Total Square Feet _____ / 4.75sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of four (4) panels per box.

Slatestone Panel dimensions are 8¼" x 43" x 1¾". Each Panel covers 2.14/sq. ft.

Configure Square Footage of area to be covered. (length x width)

Total Square Feet _____ / 2.14sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of eight (8) panels per box.

Stacked Stone Panel dimensions are 13¼" x 46.5½" x 1½". Each Panel covers 3.63/sq. ft.

Configure Square Footage of area to be covered. (length x width)

Total Square Feet _____ / 3.63sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of five (5) panels per box.

CORNERS

Castle Rock Outside Corner dimensions are 7" x 11" x 15½"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 15¼" = _____ number of corners necessary.

- Castle Rock Outside Corners sit flush with the Castle Rock Panel. Four (4) corners per box, 2 Left / 2 Right.

Random Rock Outside Corner dimensions are 7" x 11" x 15½"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 15½" = _____ number of pieces of corners.

- Random Rock Outside Corners sit flush with each panel. Four (4) corners per box, 2 Left/2Right.

Sandstone Inside Corner dimensions are 3½" x 3½" x 48"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 48" = _____ number of pieces of corners.

- Panels fit behind Corners. Two (2) corners per box. Sandstone Inside Corners can be used with any rock profile except Slatestone.

TAKE-OFF SHEET

CORNERS cont.

Sandstone Outside Corner dimensions are 5 ½" x 5 ½" x 48"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 48" = _____ number of pieces of corners.

- Sandstone Outside Corners can be used with any rock profile, except Slatestone. The Panel will fit behind the corner. Two (2) corners per box.

Sandstone Flush Outside Corner dimensions are 3½" x 3½" x 48"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 48" = _____ number of pieces of corners.

- Sandstone Flush Outside Corners can be used with any rock profile, except Slatestone, and sit flush to panel ends. Outdoor applications may need caulk or weather seal. Two (2) corners per box.
-

Slatestone Outside Corner dimensions are 12 ¾" x 4 ½" x 8 ¼"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 8 ¼" = _____ number of pieces of corners.

- Slatestone Outside Corners sit flush with each panel. Four (4) corners per box, 2 Left/2Right.
-

Stacked Stone Outside Corner dimensions are 4" x 13¼" x 12"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 13¼" = _____ number of pieces of corners.

- Slatestone Outside Corners sit flush with each panel. Four (4) corners per box, 2 Left/2Right.

TAKE-OFF SHEET

ACCESSORIES

1. Sandstone Ledger dimensions are 2 ½" x 4" x 48"

Configure Horizontal Linear Feet.

Total Linear Feet _____ / 4' = number of pieces of Ledger.

- This accessory is used to trim out the top row and can be used with any rock profile.
Four (4) Ledgers per box.

2. Sandstone Window/Door Trim dimensions are 2 ¼" x 3 ½" x 48"

Configure Vertical and Horizontal Linear Feet.

Total Linear Feet _____ / 4' = number of pieces of window/door trim.

- Window/Door Trim will be used on all four window sides as well as the top and sides of door openings and can be used with any rock profile. Four (4) Trim per box.

3. Sandstone Ledger Outside Corner dimensions are 4 ¼" x 6 ¼" x 2 ½"

Sandstone Ledger Inside Corner dimensions are 9 ¾" x 7 ⅝" x 2 ½"

Ledger Outside and Inside Corners are used to cap corners and show a continuous run of the Ledger trim piece. Number of pieces depend on number of corners. Two (2) per box,
1 Left / 1 Right.

4. Metal Starter Strips are in 4' lengths.

Configure Horizontal Linear Feet of area to be covered.

Total Linear Feet _____ / 4' = _____ number of pieces of starter strip.

- Used to begin the bottom row, Starter Strips are suggested under each panel in order to avoid face screwing.

5. 12oz. Tubes of Grout _____. (Depending on project, grout/caulk, may or may not be required).

6. Touch Up Paint Kit _____.

Drystack, LedgeStone, and Random Rock Touch up Paint Kits contain Four 120 cc bottles of paint, one for each panel color and 1 trim color, plus 4 brushes.

SlateStone Touch Up Paint Kits contain One 120cc and 2 60cc bottles of paint, plus 1 brush.